

TEMP^o STORE 26

THE AGILE SOLUTION

tectoniks Dawsongroup | tcs

SMARTER
ASSET
STRATEGY





Main features and benefits of inflatable

- Made with premium, fire retardant, composite textiles which have high durability and strength
- Unique welding techniques result in virtually airtight structures that operate at high pressures allowing for optimum rigidity
- Insulation consists of multiple mineral layers with high flexibility
- Highly mobile, transportable from one location to the next
- No requirements for expert technicians during installation
- Pressure is regulated using a side channel blower with automatic control
- Repair kit provided that includes tear-aid tape and patches.
- No tools required to assemble it





HCS0035

Inflatable structure

The inflatable is made from three sections as shown on the left hand side:

1. Main inflatable structure
2. Insulated Front Doors
3. Insulated Rear Wall

Inflatable inventory list

- 1X Insulated inflatable structure (7.04m W x 4.58m L x 3.68m H)
- 1X Insulated Front Wall
- 1X Insulated Rear Wall
- 1X Strip curtains
- 1X Combined pressure control unit and side channel blower
- 1X 50mm bore spiral wound inflation hose assembly, 5m long
- 1X Product Repair Kit



TEMPSTORE

General specification



Capacity

16 UK pallets | 20 Euro pallets capacity



Scalability

From stand-alone single units to multiple modules



Interior temperature range change from

-18°C to +8°C



Ambient Storage

+2°C to +32°C



Deployment Time

4 hours



Internal dimensions

5.84m (w) x 4.58m (d) x 3.08m (h)



External dimensions

7.04m (w) x 4.58m (d) x 3.68m (h)



Weights

Just Inflatable: 330kg



Inflation system

Inflation kit included with package that comprises of:
1 x side channel blowers | 1 x pressure control units |
1 x inflation 5m inflation hoses



Flooring

Can be used alongside a variety of industrial temporary flooring



Suitability

Medicinal storage, temporary warehouse, food storage, ambient, chilled, packing, shelter




Cooling units compatible with


2 x Zanotti PAS235T for chill
2 x Hubbard units for freeze

CAD drawings of inflatable structure


Single Unit



Double Unit



Triple Unit





tectoniks

+44 (0) 777 5591911

ContactUs@Dawsongroup.co.uk